## UCI, UC Merced: California forest dieoff caused by depletion of deep-soil water

Study warns of threats from future concurrent drought and heat events Monday, July 01, 2019

Brian Bell

UCI News



A massive tree die-off struck California's Sierra Nevada mountain range at the end of the 2012-2015 drought. Numerous stands, such as the one near Soaproot Saddle (pictured), suffered significant losses caused by the exhaustion of soil water supplies tapped by the trees' deep roots, a recent UCI, UC Merced study concluded.

## Picture Credit: Margot Wholey / UC Merced

"In California's mixed-conifer mountain forests, roots extend from five to 15 meters deep, giving trees access to deep-soil water," said co-author <u>Michael Goulden</u>, UCI professor of Earth system science. "This is what has historically protected trees against even the worst multi-year droughts."

But Goulden said the severity of California's 2012-2015 dry-spell exceeded this safety margin. Many forest stands exhausted accessible subsurface moisture, leading to widespread tree death.

From 2012 to 2015 the entire state of California experienced a crippling drought, and it was especially severe in the southern Sierra Nevada. With a multi-year combination of below-average precipitation and above-average warmth, the resulting drought was considered to be the most extreme in hundreds of years.

Observations by the U.S. Forest Service Aerial Detection Survey showed that many tree stands suffered nearly complete losses of mature conifers. Pines were especially hard hit, due to an infestation of bark beetles. A post-drought survey found that the tree mortality was greatest at lower elevations, with nearly 80 percent loss in 2016 compared to 2010.

Goulden and co-author Roger Bales, director of the Sierra Nevada Research Institute and Distinguished Professor of engineering at UC Merced, used field and remote sensing observations to examine tree communities at a variety of elevations and latitudes in the sprawling mountain range using.

Their study outlines one of the key factors in the die-off – the coincidence of unusually dense vegetation, a prolonged period with well-below average precipitation and warmer than usual temperatures. The heat and density of trees and plants accelerated evapotranspiration (moisture evaporating from leaves), which caused thirsty trees to draw even more water from the ground.

The scientists concluded that there was a four-year period of moisture overdraft, meaning more water was being taken out of the soil than was being replaced by rain or snowfall.

"We expect climate change to further amplify evapotranspiration and ground moisture overdraft during drought," said Goulden. "This effect could result in a 15 to 20 percent increase in tree death during drought for each additional degree of warming."

With their improved understanding of the contributions of factors such as elevation, vegetation density, heat, precipitation and soil water amounts, the researchers said they now have a framework to diagnose and predict forest die-offs brought on by drought.

"Using readily available data, we can now predict where in mountain forests multiyear droughts are likely to have the greatest impact, and the threshold that those impacts are expected to occur," said Bales. This research was supported by National Science Foundation, the U.S. Department of Agriculture and the University of California.

**About the University of California, Irvine:** Founded in 1965, UCI is the youngest member of the prestigious Association of American Universities. The campus has produced three Nobel laureates and is known for its academic achievement, premier research, innovation and anteater mascot. Led by Chancellor Howard Gillman, UCI has more than 36,000 students and offers 222 degree programs. It's located in one of the world's safest and most economically vibrant communities and is Orange County's second-largest employer, contributing \$5 billion annually to the local economy. For more on UCI, visit <u>www.uci.edu</u>.

**Media access:** Radio programs/stations may, for a fee, use an on-campus ISDN line to interview UCI faculty and experts, subject to availability and university approval. For more UCI news, visit <u>news.uci.edu</u>. Additional resources for journalists may be found at communications.uci.edu/for-journalists.

Original Source News Briefs Earth System Science View PDF